

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 18.02.2025 Page 1 of 12

### **Equibactin Powder**

#### **SECTION 1: Identification**

#### **Product identifier**

Product name: Equibactin Powder

Synonyms: TMPS Powder

### Recommended use of the product and restriction on use:

Relevant identified uses: VETERINARY USE; Antibiotic; For the treatment of infections in horses due to

organisms susceptible to the combination of sulfadimidine and trimethoprim.

**Uses advised against:** Not for human use.

Reasons why uses advised against: Veterinary product.

#### Manufacturer or supplier details

**Supplier:** 

# **Dechra Veterinary Products NZ Limited**

PO Box 1604,

Paraparaumu Beach, 5252

New Zealand

Phone: 0800 479 838 Email: info.nz@dechra.com

Website: http://www.dechra.co.nz/

### **Emergency telephone number:**

#### **New Zealand**

National Poisons Centre

0800 764 766

#### **SECTION 2: Hazards identification**

Not Classified as a Dangerous Good according to NZS 5433:2012 Transport of Dangerous Goods on Land.

Classified in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017, New Zealand.

**HSNO Classification or Subclasses – Physical hazards:** Not applicable

# **HSNO Classification or Subclasses – Health hazards:**

Class	GHS Category	HSNO Category
Skin irritation	category 2	6.3A
Eye irritation	category 2A	6.4A
Reproductive toxicity	category 2	6.8B
Specific target organ toxicity - repeated exposure	category 2	6.9B

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 18.02.2025 Page 2 of 12

### **Equibactin Powder**

### HSNO Classification or Subclasses – Environmental hazards: Not applicable

#### **GHS** classification:

Skin irritation, category 2

Eye irritation, category 2A

Reproductive toxicity, category 2

Specific target organ toxicity - repeated exposure, category 2

# **Hazard pictogram(s):**





### Signal word: Warning

### **Hazard statements:**

H315 Causes skin irritation

H319 Causes serious eye irritation

H361 Suspected of damaging fertility or the unborn child

H373 May cause damage to organs (bone marrow) through prolonged or repeated exposure

### **Precautionary statements:**

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P260 Do not breathe dust.

P280 Wear protective gloves

P264 Wash hands thoroughly for 15 minutes after handling.

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P362 Take off contaminated clothing and wash before reuse

P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).

P332+P313 If skin irritation occurs: Get medical advice or attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice or attention.

P308+P313 If exposed or concerned: Get medical advice or attention.

P314 Get medical advice or attention if you feel unwell.

P405 Store locked up

P501 Dispose of contents and container in accordance with local regulations.

#### Hazards not otherwise classified: None

# **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 77938-63-7	Glucose monohydrate	30-50
CAS number: 57-68-1	Sulfadimidine	30-50
CAS number: 738-70-5	Trimethoprim	<10

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 18.02.2025 Page 3 of 12

# **Equibactin Powder**

CAS number:	Colloidal Silicon dioxide	0.1
7631-86-9		

#### **Additional information:**

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret under the provisions of sections 55 (7) of the HSNO Act.

#### **SECTION 4: First-aid measures**

For advice, contact a Poisons Information Center (e.g. phone Australia 131 126, New Zealand 0800 764 766) or a doctor.

# **Description of first aid measures**

#### **General notes:**

Show this Safety Data Sheet to the doctor in attendance.

#### After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

#### After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

### After eye contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

### After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

# Most important symptoms and effects, both acute and delayed:

#### Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

# **Delayed symptoms and effects:**

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

May cause damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 18.02.2025 Page 4 of 12

# **Equibactin Powder**

## Immediate medical attention and special treatment

### **Specific treatment:**

Not determined or not applicable.

#### **Notes for the doctor:**

Treat symptomatically.

#### **Workplace Facilities:**

No additional information.

### **SECTION 5: Fire-fighting measures**

## **Extinguishing media**

# Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

# Unsuitable extinguishing media:

Do not use water jet.

## Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

### **Special protective equipment for firefighters:**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

#### **Hazchem or Emergency Action Code:**

Not Applicable.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

#### **Environmental precautions:**

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

# Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

**Initial preparation date:** 18.02.2025 Page **5** of **12** 

**Equibactin Powder** 

#### **SECTION 7: Handling and storage precautions**

### **Precautions for safe handling:**

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

# **Conditions for safe storage, including any incompatibilities:**

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Container type: HDPE container

Storage condition: Store in a dry place, below 30°C (room temperature). Protect from light.

### Safe packaging material

#### Suitable material:

Not determined or not applicable.

#### **Unsuitable material:**

Not determined or not applicable.

#### **SECTION 8: Exposure controls and personal protection**

Only those substances with limit values have been included below.

#### **Occupational Exposure limit values:**

Country (Legal Basis)	Substance	Identifier	Permissible concentration
New Zealand	Colloidal Silicon dioxide	7631-86-9	8-Hour TWA: 10 mg/m <sup>3</sup>

#### **Biological limit value:**

No biological exposure limits noted for the ingredient(s).

### **Information on monitoring procedures:**

Not determined or not applicable

#### **Appropriate engineering controls:**

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### **Personal protection equipment**

#### Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 18.02.2025 Page 6 of 12

### **Equibactin Powder**

### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

### **General hygienic measures:**

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

# **SECTION 9: Physical and chemical properties**

Physical state	Powder
Colour	White
Odour	Slight odour
Odour threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Flammability (solid, gas)	Not flammable
Upper flammability/explosive limit	Not relevant
Lower flammability/explosive limit	Not determined or not available.
Vapour pressure	Not determined or not available.
Vapour density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Particle characteristics	Not determined or not available.

**Other information:** None

### **SECTION 10: Stability and reactivity**

### Reactivity:

Not reactive under recommended handling and storage conditions.

### **Chemical stability:**

Stable under recommended handling and storage conditions.

### Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

## Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 18.02.2025 Page **7** of **12** 

## **Equibactin Powder**

### **Incompatible materials:**

None known.

### **Hazardous decomposition products:**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### **Acute toxicity:**

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Route	Result
Trimethoprim	Oral ATE	LD50 Rat: 500 mg/kg
Colloidal Silicon dioxide	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rabbit: > 2000 mg/kg
	inhalation	LC50 rat: > 5.01 mg/L (4hr [aerosol])
Glucose monohydrate	oral	LD50 Rat: 25,800 mg/kg

### Skin corrosion/irritation

#### **Assessment:**

Causes skin irritation.

Product data: No data available.

#### **Substance data:**

Name	Result
Sulfadimidine	Causes skin irritation.

## Serious eye damage/irritation

## **Assessment:**

Causes serious eye irritation. **Product data:** No data available.

### **Substance data:**

Name	Result
Sulfadimidine	Causes serious eye irritation.

### Respiratory or skin sensitization:

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

### Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

## **International Agency for Research on Cancer (IARC):**

Name	Classification
Sulfadimidine	Group 3
Colloidal Silicon dioxide	Group 3

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 18.02.2025 Page 8 of 12

## **Equibactin Powder**

# Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available

### Reproductive toxicity

#### **Assessment:**

Suspected of damaging fertility or the unborn child.

Product data: No data available.

#### Substance data:

Name	Result
Trimethoprim	Suspected of damaging fertility or the unborn child.

### **Specific target organ toxicity (single exposure)**

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

### Specific target organ toxicity (repeated exposure)

#### **Assessment:**

May cause damage to organs through prolonged or repeated exposure.

Product data: No data available.

#### Substance data:

Name	Result
Trimethoprim	Causes damage to organs (bone marrow), through prolonged or repeated
	exposure.

#### **Aspiration toxicity**

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

### Information on likely routes of exposure:

Skin and eye contact, inhalation and oral ingestion.

# Symptoms related to the physical, chemical and toxicological characteristics:

See section 4 of this SDS.

### Other information:

No data available.

### **SECTION 12: Ecological information**

# **Acute (short-term) toxicity**

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

#### Substance data:

Name	Result
Sulfadimidine	Fish LC50 Oryzias latipes: >100 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 31.4 mg/L (48 hr [immobilisation])

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 18.02.2025 Page **9** of **12** 

# **Equibactin Powder**

Name	Result
Trimethoprim	Fish LC50 Oryzias latipes: >100 mg/L (96 hr [ECOTOX database])
	Aquatic Invertebrates EC50 Daphnia magna: 149 mg/L (48 hr [intoxication & immobility- ECOTOX database])
	Aquatic Plants EC50 Raphidocelis subcapitata: 83.8 mg/L (96 hr [Population growth rate-ECOTOX database])
Colloidal Silicon dioxide	Fish LC50 Pimephales promelas: > 5000 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: > 5000 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Desmodesmus subspicatus: >173.1 mg/L (72 hr [yield & growth rate])

# **Chronic (long-term) toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Result	
Sulfadimidine	Aquatic Invertebrates NOEC Daphnia magna: 1.563 mg/L (21 d [growth & reproduction])	
Trimethoprim	Aquatic Invertebrates NOEC Daphnia magna: 3.12 mg/L (21 d [reprodution-ECOTOX database])	
Colloidal Silicon dioxide	Aquatic Invertebrates NOEC Daphnia magna: 68 mg/L (21 d [mortality])	
	Fish NOEC Fish species: 57.001 mg/L (30 d [mortality-no toxicity at the limit of solubility, QSAR substance data])	

# Persistence and degradability

Product data: No data available.

### Substance data:

Name	Result
Sulfadimidine	The substance is not readily biodegradable. 23% degradation in water, after 14 days.
Colloidal Silicon dioxide	Persistence assessment based on biodegradability is not relevant for inorganic compounds such as this substance.

# **Bioaccumulative potential**

Product data: No data available.

### Substance data:

Name	Result
Sulfadimidine	The substance is not expected to bioaccumulate (BCF= 1.19).
Trimethoprim	The substance is not expected to bioaccumulate (BCF=3).
Colloidal Silicon dioxide	Bioaccumulation assessment using a classic BCF assessment is not considered relevant for inorganic compounds such as this substance.

## Mobility in soil

Product data: No data available.

#### Substance data:

Name	Result
Sulfadimidine	The substance is moderately mobile, therefore, slight adsorption to soil is
	expected (Koc=191.3, QSAR data).

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 18.02.2025 Page **10** of **12** 

### **Equibactin Powder**

Name	Result
Trimethoprim	The substance is mobile; therefore, adsorption to soil is not expected (estimated Koc: 75).
Colloidal Silicon dioxide	Mobility in soil assessment based on KOC/Kd values are not relevant for inorganic compounds such as this substance.

## Hazard to the ozone layer

**Product data:** No data available. **Substance data:** No data available.

Other adverse effects: No additional information.

## **SECTION 13: Disposal considerations**

### **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

## Contaminated packages:

Not determined or not applicable.

## Disposal methods that should not be used:

No additional information.

### **SECTION 14: Transportation information**

### Road/Rail transport: (NZS 5433:1999)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

## **International Air Transport Association Dangerous Goods Regulations (IATA-ICAO)**

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# **International Maritime Dangerous Goods (IMDG)**

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 18.02.2025 Page 11 of 12

### **Equibactin Powder**

Transport in bulk according to Annex II of MARPOL and the IBC Code:

Bulk Name	None
Ship type	None
Pollution category	None

## **SECTION 15: Regulatory information**

**New Zealand Inventory of Chemicals (NZIoC):** All of the ingredient are listed or exempt.

**HSNO Classification or Subclasses:** Not Applicable.

HSNO Group Standard Name:	HSNO Approval Number:
Veterinary Medicines (Limited Pack Size,	HSR002366
Finished Dose) Group Standard 2017	

**HSNO Controls:** Not determined.

**Approved handler test certificate:** Not determined.

**Tracking:** Not determined.

**Controlled substance license requirements:** Not applicable. **Agricultural Compounds and Veterinary Medicines Act 1997:** 

ACVM number	•	A10672

Montreal Protocol (Ozone Depleting Substances): None of the ingredients are listed.

Stockholm Convention (Persistent Organic Pollutants): None of the ingredients are listed.

Rotterdam Convention (Prior Informed Consent): None of the ingredients are listed.

**Basel Convention (Hazardous Waste):** None of the ingredients are listed.

### **SECTION 16: Other information**

## **Abbreviations and Acronyms:**

ATE	Acute Toxicity Estimate	
BCF	Bioconcentration Factor	
CAS	Chemical Abstracts Service	
EC50	Effective Concentration of 50%	
GHS	Globally Harmonized System	
HSNO	Hazardous Substances and New Organisms	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IBC	Intermediate Bulk Container	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods	
LC50	Lethal Concentration 50%	
LD50	Lethal Dose 50%	
MARPOL	International Convention for the Prevention of Pollution from Ships	
NZIoC	New Zealand Inventory of Chemicals	
TWA	Time Weighted Average	
UN	United Nations	
VOC	Volatile Organic Compounds	

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 18.02.2025 Page 12 of 12

### **Equibactin Powder**

### **Disclaimer:**

The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**Initial preparation date:** 18.02.2025

#### **Revision Notes:**

-			
	Revision Date	Notes	
	18-02-2025	Version 1	

**End of Safety Data Sheet**